

L Number	Hits	Search Text	DB	Time stamp
1	1	5347578.pn. and restore	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 09:24
2	1	5347578.pn. and restor\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 09:24
3	3	((US-6295605-\$ or US-5822435-\$ or US-6268789-\$).did.	USPAT	2003/10/20 09:25
4	0	((US-6295605-\$ or US-5822435-\$ or US-6268789-\$).did.) and restor\$5	USPAT	2003/10/20 09:25
5	1	5864683.pn. and restor\$5	USPAT	2003/10/20 09:27
6	1	5864683.pn. and restore	USPAT	2003/10/20 09:27
7	4	((US-6295605-\$ or US-5822435-\$ or US-6268789-\$ or US-5864683-\$).did.	USPAT	2003/10/20 09:44
8	1	((US-6295605-\$ or US-5822435-\$ or US-6268789-\$ or US-5864683-\$).did.) and password and ip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 09:46
9	54	(authenticat\$5 or identif\$5 or verif\$5) with access with ip with password	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 09:46
10	15	((authenticat\$5 or identif\$5 or verif\$5) with access with ip with password) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 09:55
11	33	list with (trusted or secure) with ip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 10:03
12	8	(list with (trusted or secure) with ip ) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 09:56
13	3	list with (trusted or secure) with ip same password	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 09:58
14	0	(list with (trusted or secure) with ip same password) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 09:58
15	26	(list or table) with (trusted or secure) with ip and password	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 10:04
16	10	((list or table) with (trusted or secure) with ip and password) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 10:07
17	10660	(table or list\$3) with (password or ip)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 10:08
18	3324	(table or list\$3) near2 (password or ip)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 10:09
19	52	((table or list\$3) near2 (password or ip)) with (authenticat\$3 or verif\$5 or identif\$5) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 10:09

20	35	(table or list\$3) near2 (password and ip)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 10:09
21	11	((table or list\$3) near2 (password and ip)) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 10:10
22	1	((((table or list\$3) near2 (password and ip)) and @ad<=19981014) and (((table or list\$3) near2 (password or ip)) with (authenticat\$3 or verif\$5 or identitf\$5) and @ad<=19981014 )	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 10:28
23	1	5872847.pn. and ip and password	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 10:29
24	0	5872847.pn. and (ip with password)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 10:29
25	0	5872847.pn. and (ip same password)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 10:29
26	1	5872847.pn. and ip and password	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 10:29
39	1	5864683.pn. and internet	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 11:03
40	3608	www adj server	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 11:03
41	1060	(www adj server) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 11:03
42	659	(www adj server) and @ad<=19981014 and network	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 11:04
43	6344	internet adj server	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 11:05
44	1362	(internet adj server) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 11:05
45	155	((internet adj server) and @ad<=19981014) and access adj control	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 11:18
46	2	6446204.pn. and access with server	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 11:18
62	1	5864683.pn. and password and ip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 11:32

69	36	(internet or WWW or http) adj3 server with hierarchy	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 11:59
70	29	((internet or WWW or http) adj3 server with hierarchy) and access	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 11:57
71	1	5864683.PN. and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 11:58
74	18	((((internet or WWW or http) adj3 server with hierarchy) and access ) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 11:58
75	2	(internet or WWW or http) adj3 server with hierarchy same access and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 12:00
76	523	(manag\$4 or supervis\$5 or administ\$6) with (internet or www or world\$wide\$web) adj server	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 12:03
77	127	((manag\$4 or supervis\$5 or administ\$6) with (internet or www or world\$wide\$web) adj server) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 12:01
78	61	(manag\$4 or supervis\$5 or administ\$6) adj2 (internet or www or world\$wide\$web) adj server	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 14:01
79	20	((manag\$4 or supervis\$5 or administ\$6) adj2 (internet or www or world\$wide\$web) adj server) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 12:03
80	0	(table or list) adj (trusted or secure) adj (client or user or computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 14:02
81	15	(table or list) adj2 (trusted or secure) adj2 (client or user or computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 14:03
82	7	((table or list) adj2 (trusted or secure) adj2 (client or user or computer)) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 14:03
-	32	server with (configur\$5 or set\$5) with read\$only same access	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/20 09:23
-	11	(server with (configur\$5 or set\$5) with read\$only same access) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 11:40
-	476	(access adj control with server).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 11:40
-	2	((((access adj control with server).ab.) and @ad<=19981014) and (remov\$4 or delet\$5 or void\$4 or cancel\$3 or chang\$5) adj3 (superuser or root or privilege)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 11:42

-	152	((access adj control with server).ab.) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 11:44
-	33	((((access adj control with server).ab.) and @ad<=19981014) and (authentica\$3 or identif\$5 or verif\$5) adj3 (user or client or administrator)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 12:01
-	142	(administrator or user) with (access\$5 or log\$5) adj4 server with (thru or through) adj3 (client or external)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 12:05
-	23	((administrator or user) with (access\$5 or log\$5) adj4 server with (thru or through) adj3 (client or external)) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 12:09
-	10	administrator with access with server with (thru or through) adj5 client	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 12:09
-	5	(administrator with access with server with (thru or through) adj5 client) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 13:06
-	12	single adj level adj secur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 13:07
-	7	(single adj level adj secur\$5) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 13:39
-	2	5864683.pn. and (thru or through)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 14:28
-	1	5857102.pn. and(through or thru)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 14:37
-	27	access adj server with through adj client	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 14:39
-	4	(access adj server with through adj client) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 14:37
-	0	access adj3 server with through adj3 (client near external)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 14:44
-	194	access adj3 server with through adj3 (client or external)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 14:46
-	47	(access adj3 server with through adj3 (client or external)) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 14:44
-	3	(administrator adj3 access adj3 server) with through adj3 (client or external)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 14:51

-	1	administrator with remote with log\$3 with server with client	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 14:52
-	51	(administrator or supervisor) with log\$3 with server with client	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 14:53
-	8	((administrator or supervisor) with log\$3 with server with client) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 15:03
-	28211	administrator or supervisor with (key or password) with log\$5 with server	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 15:03
-	74	(administrator or supervisor) with (key or password) with log\$5 with server	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 15:04
-	13	((administrator or supervisor) with (key or password) with log\$5 with server) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 15:06
-	0	6243751.pn and multi\$level adj secur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 15:07
-	0	6243751.pn and single adj level adj secur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 15:07
-	0	5903732.pn. and single adj level adj secur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 15:07
-	12	single adj level adj secur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 15:08
-	210	multiple adj level adj secur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 15:08
-	7	(single adj level adj secur\$5) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 15:09
-	77	(multiple adj level adj secur\$5) and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 15:25
-	2	5949882.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 15:26
-	2	5872847.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 15:26
-	2	5596718.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 15:27

-	2	5506961.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 15:31
-	2	5649099.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/17 15:31